

TABLE OF CONTENTS

Flow Data Summary	1
Reservs (Reservoir Stations).....	2
Elephant Butte Reservoir Storage	2
Rio Grande below Elephant Butte Reservoir.....	3
Caballo Storage.....	4
Bonita Lateral.....	5
Rio Grande below Caballo Reservoir	6
Percha River Reach.....	7
Rio Grande below Percha	7
Arrey Canal.....	8
Percha Lateral	9
Wasteway #5 (Hatch Siphon)	10
Garfield Drain	11
Wasteway #16 (Hatch Canal)	12
Hatch Drain.....	13
Angostura Drain.....	14
Wasteway #18 (Rincon Lateral)	15
Rio Grande at Tonuco (Hayner Bridge).....	16
Rincon Drain.....	17
Leasburg River Reach.....	18
Rio Grande above Leasburg.....	18
Leasburg Canal (at Heading)	19
Leasburg Canal below 1st Check.....	20
Wasteway #1A (Leasburg Canal)	21
Wasteway #1 (Leasburg Canal).....	22
Rio Grande below Leasburg Dam.....	23
Selden Drain.....	24
Wasteway #3 (Picacho Lateral)	25
Wasteway #5 (Leasburg Canal).....	26
Wasteway #8 (Leasburg Canal).....	27
Rio Grande at Picacho Bridge.....	28
Las Cruces Arroyo near Las Cruces	29
Leasburg Drain.....	30
Wasteway #40 (Picacho Lateral)	31
Picacho Drain.....	32
City of Las Cruces WWTP	33
Mesilla River Reach.....	34
Westside Canal.....	34
Eastside Canal.....	35
Del Rio Lateral.....	36
La Union East (Eastside Canal)	37
La Union West (Westside Canal)	38
Three Saints East Lateral (Eastside Canal).....	39
Rio Grande below Mesilla Dam	40

Wasteway #15 (Eastside Canal).....	41
Santo Tomas River Drain.....	42
Wasteway #25 (Santo Tomas Lateral).....	43
Wasteway #26 (Upper Chamberino Lateral).....	44
Wasteway #16B (Brazito Lateral).....	45
Wasteway #18 (Eastside Canal).....	46
Rio Grande at Vado Bridge.....	47
Mesilla Drain.....	48
Del Rio Drain.....	49
Wasteway #19 (Three Saints Lateral).....	50
Wasteway #30 (Chamberino East Lateral).....	51
Chamberino Drain.....	52
La Mesa Drain.....	53
Wasteway #31 (La Union Main Canal).....	54
Wasteway #20 (Three Saints West Lateral).....	55
Wasteway #21 (Three Saints West Lateral).....	56
Wasteway #31B (Jiminez Lateral).....	57
Wasteway #32 (La Union East Lateral).....	58
Wasteway #32A (Rowley Lateral).....	59
Wasteway #23A (Texas Lateral).....	60
Rio Grande at Anthony Bridge.....	61
Anthony Drain.....	62
East Drain.....	63
Rio Grande at Vinton Bridge.....	64
Wasteway #32B (Vinton Cut-Off Lateral).....	65
Rio Grande at Canutillo Bridge.....	66
Canutillo Lateral.....	67
Wasteway #34 (Canutillo Lateral).....	68
Wasteway #34A (Pence Lateral).....	69
Wasteway #35 (Westside).....	70
Wasteway #35C (Schutz Lateral).....	71
Wasteway #36 (Montoya Lateral A).....	72
Nemexas Drain.....	73
West Drain.....	74
Wasteway #38 (Montoya Lateral).....	75
Montoya Intercepting Drain.....	76
Montoya Drain.....	77
El Paso River Reach.....	78
Rio Grande at El Paso.....	78
Rio Grande below American Dam.....	79
American Canal.....	80
Acequia Madre.....	81
Franklin Canal.....	82
Franklin Drain.....	83
Ascarate Wasteway.....	84

Rio Grande at Coffey Dam (Riverside Dam)	85
Riverside Canal.....	86
Wasteway #1 (Riverside Canal).....	87
Wasteway #2 (Riverside Canal).....	88
River Drain.....	89
Fabens Waste Channel.....	90
Fabens Drain	91
Fabens Waste Drain	92
Tornillo Canal (at Heading).....	93
Wasteway #1 (Tornillo Canal).....	94
Tornillo Canal at Alamo Alto (WW #2).....	95
Tornillo Drain	96
Hudspeth Feeder Canal	97
Rio Grande at Fort Quitman	98

FLOW DATA SUMMARY

The following sections provide summaries of the source(s) of data for each website. The stations are ordered in approximately the same manner as they occur physically, going from north to south along the Rio Grande.

Data summary are grouped by the reservoirs and river reaches:

- RESERVS
- PERCHA
- LEASBURG
- MESILLA
- EL PASO, TX

RESERVS (Reservoir Stations)

ELEPHANT BUTTE RESERVOIR STORAGE

File: ElephantButteStorage.xls

NMSU Data:

Data Source: Use USBR data for 3/21/1915 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data: (3/21/1915 thru 1995).

Comments: Original data in file [EB_STOR.xls]

USGS Data:

Data Source: Electronic data from USGS for 10/1965 thru 2002 ftp'd from their web site into files [08360500.2400] and [08360500.mean].

Comment: Original data reformatted into file [USGS_ElephantButteStorage.xls]
USGS gets their data from the USBR and publishes it.

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 3/21/1915 thru 1983.
Electronic data from USBR for 1984 thru 2002, with all electronic data in file [EB_sto.xls]. (Original data from 1995 thru 2002 was KAF instead of AF, was corrected).

Comments: Original paper data scanned into file [Elephant Butte Storage.pdf].
Original data reformatted into file [USBR_ElephantButteStorage.xls]
Some values were estimated in 1916, 1917 and 1918.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

RIO GRANDE BELOW ELEPHANT BUTTE RESERVOIR

File: RioGrandeBelowElephantButte.xls

NMSU Data:

Data Source: Use USBR data for 4/1/1913 thru 11/1949.
Use USGS data for 12/1949 thru 9/2002.
Use IBWC data for 10/2002 thru 12/2002

Parson's Data:

Data Source: Data from CD with Parson's Data (10/1/1916 thru 3/10/1996).
Comments: Original data in file [RGBELEBF.xls]

USGS Data:

Data Source: Daily data from USGS web site # USGS 08361000 RIO GRANDE
BELOW ELEPHANT BUTTE DAM, NM (10/1/1916 thru 9/30/2002)
ftp'd
from their web site into file was downloaded into file
[RGBelowElepButte2002.xls].
Comments: Original data reformatted into file [USGS_RGbelowElephantButte.xls]

IBWC Data:

Data Source: Daily data from IBWC Web site (08-3610.00) in cms. (1916 thru 2002)
was downloaded into file [IBWC_RGbelowElephantButte.xls].
Comments: Data for 2001 through 2003 are PROVISIONAL AND SUBJECT TO
REVISION.
IBWC gets data from USGS and publishes it.

USBR Data:

Data Source: Paper copies from USBR for 4/1/1913 thru 11/1949.
Comments: Original paper data scanned into file [RG below Elephant butte.pdf]
Original data entered into file [USBR_RioGrandeBelowElepButte.xls]

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

CABALLO STORAGE

File: CaballoStorage.xls

NMSU Data:

Data Source: Use USBR data for 1938 thru 2001.
Use USGS data for 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (10/1/1965 thru 1995).
Comments: Original data from file [CAB_STOR.xls]

USGS Data:

Data Source: Electronic data from USGS for 10/1965 thru 2002, ftp'd from their web site into file [USGS_CaballoStorage.xls].
Comment: USGS gets their data from the USBR and publishes it.

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1938 thru 1983.
Electronic data from USBR for 1984 thru 2001, with electronic data in file [Cab_Sto.xls].
Comments: Original paper data scanned into file [Caballo Reservoir storage.pdf]
Original data reformatted into file [USBR_CaballoStorage.xls]

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

BONITA LATERAL

File: BonitaLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1938 thru 1980.
Use USBR data for 1981 thru 2002 (monthly).

Parson's Data:

Data Source: Data from CD with Parson's Data (1938 thru 1991,
monthly after 1980).
Comments: Original data in file [BONITAF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1938 thru
1980 with electronic data in files [1938.xls] thru [1980.xls].
Additional paper copies from USBR for 1981 thru 2002 (monthly)
Comments: Original paper data scanned into file [Bonita Lateral.pdf].
Original data entered and/or reformatted into file
[USBR_BonitaLateral.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

RIO GRANDE BELOW CABALLO RESERVOIR

File: RioGrandeBelowCaballo.xls

Location: Latitude N32 53 090 Deg. Min.; Longitude W107 17 565 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1938 thru 2002.
Use EBID data for 1/2003 thru 5/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1938 thru 1995).
Comments: Original data in file [RGBCABF.xls]

USGS Data:
Data Source: Daily data from USGS web site # USGS 08362500 RIO GRANDE
BLW CABALLO DAM, NM (1938 thru 9/30/2002)
was downloaded into file [RGBelowCaballo2002.xls].
Comments: Original data reformatted into file [USGS_RGbelowCaballo.xls]
Note: USGS gets data from USBR.

IBWC Data:
Data Source: Daily data from IBWC web site (08-3625.00) in cms. (1938 thru 2002)
was downloaded into file [IBWC_RGbelowCaballo.xls] and
converted to cfs.
Comments: Data for 2001 through 2003 are PROVISIONAL AND SUBJECT TO
REVISION.
IBWC gets data from USBR and publishes it.

USBR Data:
Data Source: Paper copies and electronic data from USBR for 1938 thru 1983, and
electronic data from USBR for 1984 thru 2002, with
all electronic data in file [BelowCaballo.xls].
Comments: Original paper data scanned into file [RG below Caballo.pdf].
Original data reformatted into file [USBR_RioGrandeBelowCaballo.xls].

EBID Data:
Data Source: Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 7/20/2001 thru 5/2003 was downloaded
into file [EBIDWS_BelowCaballo.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_RioGrandeBelowCaballo.xls].

EP#1 Data:
Data Source: NR

PERCHA RIVER REACH

RIO GRANDE BELOW PERCHA

File: RioGrandeBelowPerchaDivDam.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1922 thru 1937.

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 1937).

Comments: Original data in file [RGBPERF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1922 thru 1937, with electronic data in files [1922.xls] thru [1983.xls].

Comments: Original paper data scanned into file [RG at Percha.pdf].
Original data reformatted into file [USBR_RioGrandeBelowPercha.xls].
Discontinued in 1937.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

ARREY CANAL

File:	ArreyCanal.xls
Location:	Latitude N32 52 143 Deg. Min.; Longitude W107 18 312 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1918, and 1920 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (2/11/1930 thru 4/30/1996).
Comments:	Original data in file [ARREYF.xls]
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1918, and 1920 thru 1984, with electronic data in files [1918.xls] thru [1984.xls]. Additional paper copies from USBR for 1985 thru 1992.
Comments:	Original paper data scanned into file [Arrey Canal.pdf] Original data entered and/or reformatted into file [USBR_ArreyCanal.xls]
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_ArreyCanal.xls].
EP#1 Data:	
Data Source:	NR

PERCHA LATERAL

File: PerchaLateral.xls

Location: Latitude N32 52 084 Deg. Min.; Longitude W107 18 177 Deg. Min.

NMSU Data:
Data Source: Use Parson's data for 1953 thru 1978 (monthly).
Use USBR data for 1979 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1953 thru 4/1996).
1953 thru 1983 monthly avgs only - no daily data.
Comments: Original data in file [PERLATF.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper copies from USBR for 1979 thru 1992.
Comments: Original paper data scanned into file [Percha Lateral.pdf].
Original data entered into file [USBR_PerchaLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_PerchaLateral.xls].

EP#1 Data:
Data Source: NR

WASTEWAY #5 (HATCH SIPHON)

File: Wasteway5_HatchSiphon.xls

Location: Latitude N32 42 140 Deg. Min.; Longitude W107 14 823 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1979 thru 1984, and 1987.
Use EBID data for 1993 thru 1999, and 2001 thru 9/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1993 thru 4/1/1996).
Comments: Original data in file [SW_5F.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data: Same as WW#5 Garfield Canal.
Data Source: Paper copies from USBR for 1979 thru 1988
(no data for 1985, 1986, 1988).
Comments: Original paper data scanned into file [WW#5 Hatch Siphon.pdf].
Original data entered into file [USBR_Wasteway5_HatchSiphon.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file [EBIDWS_WW5_HatchSiphon.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_Spillway5_HatchSiphon.xls].

EP#1 Data:
Data Source: NR

GARFIELD DRAIN

File:	GarfieldDrain.xls
Location:	Latitude N32 41 256 Deg. Min.; Longitude W107 11 613 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1981 (monthly) Use USBR data for 1982 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 4/1/1996). 1930 thru 1983 monthly data only - no daily data;
Comments:	Original data in file [GARFIELF.xls]
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls]. Additional paper data from USBR for 1982 thru 1992.
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf] and [Garfield Drain.pdf]. Original data entered and/or reformatted into file [USBR_GarfieldDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_GarfieldDrain.xls].
EP#1 Data:	
Data Source:	NR

WASTEWAY #16 (HATCH CANAL)

File: Wasteway16_HatchCanal.xls

Location: Latitude N32 40 013 Deg. Min.; Longitude W107 01 233 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1979 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 9/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1989 thru 4/1/1996).
Comments: Original data in file [SW_16F.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data: Same as WW#16 Rincon Siphon.
Data Source: Paper copies from USBR for 1979 thru 1992.
Comments: Original paper data scanned into file [ww#16 Rincon Siphon.pdf].
Original data entered into file
[USBR_Wasteway16_RinconSiphon.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded
into file [EBIDWS_WW16_HatchCanal.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway16_RinconSiphon.xls].

EP#1 Data:
Data Source: NR

HATCH DRAIN

File:	HatchDrain.xls
Location:	Latitude N32 39 432 Deg. Min.; Longitude W107 07 841 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1981 (monthly) Use USBR data for 1982 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1/1930 thru 4/1/1996). 1930 thru 1949, 1952 thru 1980, 1987 and 1990 thru 1991 monthly averages only - no daily data.
Comments:	Original data in file [HATCHF.xls]
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls]. Additional paper data from USBR for 1982 thru 1992.
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf] and [Hatch Drain.pdf]. Original data entered and/or reformatted into file [USBR_HatchDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_HatchDrain.xls].
EP#1 Data:	
Data Source:	NR

ANGOSTURA DRAIN

File: AngosturaDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1930 thru 1983 (monthly).

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 1983).
1930 thru 1983 monthly averages only - no daily data.

Comments: Original data in file [ANGOSTF.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf]
Original data reformatted into file [USBR_AngosturaDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #18 (RINCON LATERAL)

File: Wasteway18_RinconLateral.xls

Location: Latitude N32 37 395 Deg. Min.; Longitude W107 01 470 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1979 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1989 thru 4/1/1996).
Comments: Original data in file [SW_18F.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper copies from USBR for 1979 thru 1992.
Comments: Original paper data scanned into file [ww#18 Rincon lateral.pdf].
Original data entered into file [USBR_Wasteway18_RinconLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_Spillway18_RinconLateral.xls].

EP#1 Data:
Data Source: NR

RIO GRANDE AT TONUOCO (HAYNER BRIDGE)

File: RioGrandeAtTonuco.xls

Location: Latitude N32 36 806 Deg. Min.; Longitude W107 01 230 Deg. Min.

NMSU Data:
Data Source: Use EBID data for 2001 thru 9/2003.

Parson's Data:
Data Source: NR

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: NR

EBID Data: Same as Haynor Bridge.
Data Source: Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls]. Data from EBID web site for 3/1/2001 thru 9/2003 was downloaded into file [EBIDWS_RGatHaynorBridge.xls].

Comments: Original EBID data was combined and reformatted into file [EBID_RioGrandeAtHaynorBridge.xls].

EP#1 Data:
Data Source: NR

RINCON DRAIN

File:	RinconDrain.xls
Location:	Latitude N32 36 798 Deg. Min.; Longitude W107 00 275 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1981 (monthly). Use USBR data for 1982 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 4/1/1996). 1930 thru 1980 monthly data only - no daily data.
Comments:	Original data in file [RINCONF.xls]
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls]. Additional paper copies from USBR for 1982 thru 1992.
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf] and [Rincon Drain.pdf]. Original data entered and/or reformatted into file [USBR_RinconDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_RinconDrain.xls].
EP#1 Data:	
Data Source:	NR

LEASBURG RIVER REACH

RIO GRANDE ABOVE LEASBURG

File: RioGrandeAboveLeasburgDivDam.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1924 thru 1965, 1968 thru 1972, and 1974 thru 1983.

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 1983).
Comments: Original data in file [RGALEASF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1924 thru 1965, 1968 thru 1972, and 1974 thru 1983, with electronic data in files [1924.xls] thru [1983.xls].

Comments: Original paper data scanned into file [RG above Leasburg.pdf].
Original data reformatted into file [USBR_RioGrandeAboveLeasburg.xls].
Discontinued after 1983.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

LEASBURG CANAL (AT HEADING)

File: LeasburgCanal.xls

Location: Latitude N32 29 794 Deg. Min.; Longitude W106 55 322 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1908 thru 1918, and 1920 thru 1992.
Use EBID data for 1993 thru 1995, 1997 thru 1999,
and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1930 thru 4/27/1996).
1930 thru 1983 monthly data only - no daily data.
Comments: Original data in file [LEASBF.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper copies and electronic data from USBR for 1908 thru 1918,
and 1920 thru 1984,with
electronic data in files [1908.xls] thru [1984.xls].
Additional paper copies from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file [Leasburg Canal.pdf]
Original data entered and/or reformatted into file
[USBR_LeasburgCanalAtHdg.xls]

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1995, and 1997 thru 1999
was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_LeasburgCanalAtHdg.xls].

EP#1 Data:
Data Source: NR

LEASBURG CANAL BELOW 1ST CHECK

File: LeasburgCanalBelow1stCheck.xls

Location:

NMSU Data:

Data Source: Use EBID data for 1996 thru 1999, and 5/8/2001 thru 9/30/2001.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: NR

EBID Data:

Data Source: Electronic data from EBID for 1996 thru 1999 was received in file [EBID data.xls].
Data from EBID web site for 5/8/2001 thru 9/2003 was downloaded into file [EBIDWS_Leasburg1stCheck.xls].

Comments: Original data combined and reformatted into file [EBID_LeasburgCanalAtFirstCheck.xls]

EP#1 Data:

Data Source: NR

WASTEWAY #1A (LEASBURG CANAL)

File: Wasteway1A_LeasburgCanal.xls

Location: Latitude N32 28 789 Deg. Min.; Longitude W106 55 277 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1989 thru 1992.
Use EBID data for 1994 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1989 thru 4/30/1996).
1990 thru 1991 monthly values only - no daily data.
1992 thru 1993 no data.
Comments: Original data in file [SW_1AF.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper copies from USBR for 1989 thru 1992.
Comments: Original paper data scanned into file
[WW#1A Electric leasburg canal.pdf].
Original data entered into file
[USBR_Wasteway1A_LeasburgCanal.xls].

EBID Data:
Data Source: Electronic data from EBID for 1994 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original data reformatted into file
[EBID_Spillway1A_LeasburgCanal.xls].

EP#1 Data:
Data Source: NR

WASTEWAY #1 (LEASBURG CANAL)

File: Wasteway1_LeasburgCanal.xls

Location:

NMSU Data:

Data Source: Use Parson's data for 1992 (monthly only)
Use EBID data for 1997 thru 1999 and 2001 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data
1992 - monthly data only.
Comments: Original data in file [SW_1F.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: NR

EBID Data:

Data Source: Electronic data from EBID for 1997 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 2002 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original data reformatted into file [EBID_Spillway1_LeasburgCanal.xls].

EP#1 Data:

Data Source: NR

RIO GRANDE BELOW LEASBURG DAM

File:	RioGrandeBelowLeasburgDivDam.xls
Location:	Latitude N32 28 617 Deg. Min.; Longitude W106 55 107 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1914 thru 1915, 1919 thru 1928, 1936 thru 1938, 1945, and 1947 thru 1993. Use USGS data for 1930 thru 1935, 1939 thru 1944, and 1946. Use EBID data for 1994 thru 1999, and 2001 thru 6/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 4/9/1996).
Comments:	Original data in file [RGBLEASF.xls].
USGS Data:	
Data Source:	Electronic data from USGS for 1930 thru 1995, ftp'd from their web site into file [08364000.mean].
Comments:	Original data reformatted into file [USGS_RGatLeasburg.xls]. Data provided to USGS from USBR.
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1914 thru 1915, 1919 thru 1928, 1936 thru 1937, 1945, 1947 thru 1983, 1985 thru 1988, 1990 thru 1991, and 1993, with electronic data in files [1914.xls] thru [1993.xls]. Additional paper copies from USBR for 1938 and 1989.
Comments:	Original paper data scanned into file [RG below Leasburg Dam.pdf]. Original data entered and/or reformatted into file [USBR_RioGrandeBelowLeasburgDam.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1994 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls]. Data from EBID web site for 3/14/2001 thru 9/2003 was downloaded into file [EBIDWS_RGbelowLeasburg.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_RioGrandeAtLeasburgCable.xls].
EP#1 Data:	
Data Source:	NR

SELDEN DRAIN

File: SeldenDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1930 thru 1983 (monthly only).

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 1983, monthly averages only).

Comments: Original data in file [SELDENF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] . thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf].
Original data reformatted into file [USBR_SeldenDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #3 (PICACHO LATERAL)

File: Wasteway3_PicachoLateral.xls

Location:

NMSU Data:

Data Source: Use EBID data for 5/2001 thru 9/2003.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: NR

EBID Data:

Data Source: Data from EBID web site for 5/25/2001 thru 9/2003 was downloaded into file [EBIDWS_Spillway3_PicachoLateral.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].

Comments: Original data reformatted into file [EBID_Spillway3_PicachoLateral.xls].

EP#1 Data:

Data Source: NR

WASTEWAY #5 (LEASBURG CANAL)

File: Wasteway5_LeasburgCanal.xls

Location: Latitude N32 22 374 Deg. Min.; Longitude W106 49 993 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1979 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1979 thru 4/16/1996).
1979 thru 1988 monthly values only - no daily data
1990 thru 1991 monthly values only - no daily data.
Comments: Original data in file [SW_5F.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1979 thru 1992.
Comments: Original paper data scanned into file [WW#5 LeasburgCanal.pdf]
Original data entered into file
[USBR_Wasteway5_LeasburgCanal.xls]

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999,
was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway5_LeasburgCanal.xls].

EP#1 Data:
Data Source: NR

WASTEWAY #8 (LEASBURG CANAL)

File: Wasteway8_LeasburgCanal.xls

Location: Latitude N32 20 524 Deg. Min.; Longitude W106 49 529 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1979 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1979 thru 4/1996).
1979 thru 1988 monthly avgs only - no daily data;
1990 thru 1991 monthly avgs only - no daily data;
Comments: Original data in file [SW_8F.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data: Same site as Wasteway #8 (Taylor Lateral).
Data Source: Paper data from USBR for 1979 thru 1992.
Comments: Original paper data scanned into file [WW#8 LeasburgCanal.pdf].
Original data entered into file
[USBR_Wasteway8_LeasburgCanal.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 5/3/2001 thru 9/2003 was downloaded
into file [EBIDWS_Spillway8_LeasburgCanal.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway8_LeasburgCanal.xls].

EP#1 Data:
Data Source: NR

RIO GRANDE AT PICACHO BRIDGE

File: RioGrandeAtPicachoBridge.xls

Location: Latitude N32 17 779 Deg. Min.; Longitude W106 49 451 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1991 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1991 thru 4/1/1996).
Comments: Original data in file [RBPICBF.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1991 thru 1992.
Comments: Original paper data scanned into file [RG at Picacho bridge.pdf].
Original data entered into file [USBR_RioGrandeAtPicachoBridge.xls]

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 3/12/2001 thru 9/2003 was downloaded into file [EBIDWS_RGbelowPicacho.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_RioGrandeAtPicachoBridge.xls].

EP#1 Data:
Data Source: NR

LAS CRUCES ARROYO NEAR LAS CRUCES

File: LasCrucesArroyoNrLasCruces.xls

Location:

NMSU Data:

Data Source: Use USGS data for 10/1958 thru 9/1966.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: Electronic data from USGS for 10/1958 thru 9/1966, ftp'd from their web site into file [08363600.mean].

Comments: Original USGS data was reformatted into file [USGS_LasCrucesArroyoNrLasCruces.xls].

IBWC Data:

Data Source: NR

USBR Data:

Data Source: NR

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

LEASBURG DRAIN

File: LeasburgDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1930 thru 1983. (Monthly values only)

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf].
Original data reformatted into file [USBR_LeasburgDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #40 (PICACHO LATERAL)

File: Wasteway40_PicachoLateral.xls

Location: Latitude N32 16 090 Deg. Min.; Longitude W106 49 785 Deg. Min.

NMSU Data:

Data Source: Use USBR data for 1991 thru 1992.
Use EBID data for 1993 thru 1999.

Parson's Data:

Data Source: Data from CD with Parson's Data (1991 thru 4/16/1996):
Comments: Original data in file [SW_40F.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1991 thru 1992.
Comments: Original paper data scanned into file [ww#40 Picacho Lateral.pdf]
Original data entered into file
[USBR_Wasteway40_PicachoLateral.xls]

EBID Data:

Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway40_PicachoLateral.xls].

EP#1 Data:

Data Source: NR

PICACHO DRAIN

File:	PicachoDrain.xls
Location:	Latitude N32 14 923 Deg. Min.; Longitude W106 49 333 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1983 (monthly). Use USBR data for 1991 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 9/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 4/16/1996). 1930 thru 1983 monthly values only - no daily data.
Comments:	Original data in file [PICACHOF.xls]
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls]. Additional paper data from USBR for 1991 thru 1992.
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf] and [Picacho Drain.pdf]. Original data entered and/or reformatted into file [USBR_PicachoDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_PicachoDrain.xls].
EP#1 Data:	
Data Source:	NR

CITY OF LAS CRUCES WWTP

File: CityOfLasCrucesWWTP.xls

Location:

NMSU Data:

Data Source: Use Parson's data for 4/2/1976 thru 2/1996.

Parson's Data:

Data Source: Data from CD with Parson's Data (4/2/1976 thru 2/1996).
Comments: Original data in file [CLCWWTPF.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: NR

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

MESILLA RIVER REACH

WESTSIDE CANAL

File: WestsideCanal.xls

Location: Latitude N32 13 534 Deg. Min.; Longitude W106 46 313 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1916 thru 1918, 1920 thru 1983, and 1985 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1930 thru 4/1996).
Comments: Original data in file [WESTSIDF.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper copies and electronic data from USBR for 1916 thru 1918, and 1920 thru 1983, with electronic data in files [1916.xls] thru [1983.xls].
Additional paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file [Westside Canal.pdf]
Original data entered and/or reformatted into file [USBR_WestsideCanal.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_WestsideCanal.xls].

EP#1 Data:
Data Source: NR

EASTSIDE CANAL

File:	EastsideCanal.xls
Location:	Latitude N32 13 706 Deg. Min.; Longitude W106 47 770 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1916 thru 1918, and 1920 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 4/1996).
Comments:	Original data in file [EASTSIDF.xls]
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1916 thru 1918, and 1920 thru 1984, with electronic data in files [1916.xls] thru [1984.xls]. Additional paper data from USBR for 1985 thru 1992.
Comments:	Original paper data scanned into file [Eastside Canal.pdf]. Original USBR data was entered and/or reformatted into file [USBR_EastsideCanal.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_EastsideCanal.xls].
EP#1 Data:	
Data Source:	NR

DEL RIO LATERAL

File: DelRioLateral.xls

Location: Latitude N32 13 681 Deg. Min.; Longitude W106 47 822 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1955 thru 1972, and 1974 thru 1992.
Use Parson's data for 1993.
Use EBID data for 1994 thru 1999.

Parson's Data:
Data Source: Data from CD with Parson's Data (1955 thru 4/1996).
Comments: Original data in file [DELRIOLF.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper copies and electronic data from USBR for 1955 thru 1972, 1974 thru 1978, and 1980 thru 1983, with electronic data in files [1955.xls] thru [1983.xls].
Additional paper copies from USBR for 1979 and 1984 thru 1992.
Comments: Original paper data scanned into file [Del Rio Lateral.pdf].
Original data entered and/or reformatted into file [USBR_DelRioLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1994 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_DelRioLateral.xls].

EP#1 Data:
Data Source: NR

LA UNION EAST (EASTSIDE CANAL)

File: LaUnionEastLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1979 thru 1992.
Use EP#1 data for 1997 thru 2002.
Use EBID data for 1/2003 thru 6/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (1984 thru 1991).
Comments: Original data in file [LUEF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1979 thru 1994.
Comments: Original paper data scanned into file [La Union East Lateral.pdf].
Original data entered into file [USBR_LaUnionEastLateral.xls].

EBID Data:

Data Source: Electronic data from EBID for 1997 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_LaUnionEastLateral.xls].

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file [EP#1_LaUnionEastLateral.xls]

LA UNION WEST (WESTSIDE CANAL)

File: LaUnionWestLateral.xls

Location: Latitude N32 00 168 Deg. Min.; Longitude W106 39 250 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1979 thru 1992.
Use EBID data for 1993 thru 1996, and 1/2003 thru 6/2003.
Use EP#1 data for 1997 thru 2002.

Parson's Data:
Data Source: Data from CD with Parson's Data (1984 thru 4/1996).
Comments: Original data in file [LUWF.xls].

USGS Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1979 thru 1994.
Comments: Original paper data scanned into file [La Union West Lateral.pdf].
Original data entered into file [USBR_LaUnionWestLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1996, and 1998 thru 1999
was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_LaUnionWestLateral.xls].

EP#1 Data:
Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file [EP#1_LaUnionWestLateral.xls]

THREE SAINTS EAST LATERAL (EASTSIDE CANAL)

File: ThreeSaintsLateral.xls

Location: Latitude N32 00 038 Deg. Min.; Longitude W106 37 136 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1979 thru 1982, and 1984 thru 1994.
Use EBID data for 1996 thru 1999, and 2001 thru 6/2003.
Use EP#1 data for 2000.

Parson's Data:
Data Source: Data from CD with Parson's Data (1981 thru 1991).
Comments: Original data in file [3SAINTSF.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1979 thru 1982, and 1984 thru 1994.
Comments: Original paper data scanned into file [Three Saints East Lateral.pdf].
Original data entered into file [USBR_ThreeSaintsEastLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1996 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file [EBIDWS_3SaintsEast.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_ThreeSaintsEastLateral.xls].

EP#1 Data:
Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file [EP#1_ThreeSaintsEastLateral.xls].

RIO GRANDE BELOW MESILLA DAM

File: RioGrandeBelowMesillaDivDam.xls

Location: Latitude N32 21 615 Deg. Min.; Longitude W106 47 823 Deg. Min.

NMSU Data:
Data Source: Use Parson's data for 6/1980 thru 1984.
Use USBR data for 1985 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1980 thru 4/18/1996).
Comments: Original data in file [RGBMESSF.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1985 thru 1993.
Comments: Original paper data scanned into file [RG below Mesilla Dam.pdf].
Original data entered into file
[USBR_RioGrandeBelowMesillaDivDam.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 3/7/2002 thru 5/2003 was downloaded
into file [EBIDWS_RGbelowMesillaDam.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_RioGrandeBelowMesillaDivDam.xls].

EP#1 Data:
Data Source: NR

WASTEWAY #15 (EASTSIDE CANAL)

File: Wasteway15_EastsideCanal.xls

Location: Latitude N32 11 747 Deg. Min.; Longitude W106 44 005 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1985 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1986 thru 4/22/1996).
6/9/1987 thru 7/21/1987 no data - upgrading recorders.
Comments: Original data in file [SW_15F.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file [WW#15 EastSideCanal.pdf].
Original data entered into file
[USBR_Wasteway15_EastsideCanal.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway15_EastsideCanal.xls].

EP#1 Data:
Data Source: NR

SANTO TOMAS RIVER DRAIN

File: SantoTomasRiverDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1990.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1990).
Comments: Original data in file [SANTOTRF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1990.
Comments: Original paper data scanned into file [Santo Tomas River Drain.pdf].
Original data entered into file [USBR_SantoTomasRiverDrain.xls].
Station discontinued 12/1990.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #25 (SANTO TOMAS LATERAL)

File: Wasteway25_SantoTomasLateral.xls

Location: Latitude N32 10 243 Deg. Min.; Longitude W106 43 206 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1985 thru 1992.
Use EBID data for 1993 thru 1999, and 2001.

Parson's Data:
Data Source: Data from CD with Parson's Data (1986 thru 1995).
Comments: Original data in file [SW_25F.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file
[ww#25 Santo Tomas River Lateral.pdf].
Original data entered into file
[USBR_Wasteway25_SantoTomasLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway25_SantoTomasLateral.xls].

EP#1 Data:
Data Source: NR

WASTEWAY #26 (UPPER CHAMBERINO LATERAL)

File: Wasteway26_UpperChamberinoLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1979 thru 1992.
Use EBID data for 1993 thru 1999, and 5/25/2001 thru 9/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (1979 thru 4/23/1996).
1979 thru 1985 monthly values only - no daily data.
Comments: Original data in file [SW_26F.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1979 thru 1992.
Comments: Original paper data scanned into file
[WW#26 Upper Chamberino.pdf].
Original data entered into file
[USBR_Wasteway26_UpperChamberinoLateral.xls].

EBID Data:

Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Data from EBID web site for 5/25/2001 thru 9/2003 was downloaded
into file [EBIDWS_Spillway26_UpperChamLateral.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway26_UpperChamberinoLateral.xls].

EP#1 Data:

Data Source: NR

WASTEWAY #16B (BRAZITO LATERAL)

File: Wasteway16B_BrazitoLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1990.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1990).
Comments: Original data in file [SW_16BF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1990.
Comments: Original paper data scanned into file
[WW#16B Brazito River Lateral.pdf].
Original data entered into file
[USBR_Wasteway16B_BrazitoLateral.xls].
Station discontinued 12/1990.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #18 (EASTSIDE CANAL)

File: Wasteway18_EastsideCanal.xls

Location: Latitude N32 07 977 Deg. Min.; Longitude W106 48 623 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1985 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 9/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1986 thru 4/23/1996).
Comments: Original data in file [SW_18F.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file [WW#18 Eastside Canal.pdf]
Original data entered into file
[USBR_Wasteway18_EastsideCanal.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 5/21/2001 thru 9/2003 was downloaded
into file [EBIDWS_Spillway18EastsideCanal.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway18EastsideCanal.xls].

EP#1 Data:
Data Source: NR

RIO GRANDE AT VADO BRIDGE

File: RioGrandeAtVadoBridge.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1992.
Use EBID data for 1993 thru 1995.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1995).
Comments: Original data in file [RGVADOBF.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1995.
Comments: Original paper data scanned into file [Rg at Vado Bridge.pdf].
Original data entered into file [USBR_RioGrandeAtVadoBridge.xls].

EBID Data:

Data Source: Electronic data from EBID for 1993 thru 1995 was received in file [EBID data.xls].
Comments: Original data reformatted into file [EBID_RioGrandeAtVadoBridge.xls]

EP#1 Data:

Data Source: NR

MESILLA DRAIN

File: MesillaDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1930 thru 1983 (monthly)

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 1983).
1930 thru 1983 monthly values only - no daily data.

Comments: Original data in file [MESILLAF.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1930 thru 1983
(monthly values only), with electronic data in files
[1930.xls] thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf] thru
[drainage data 1983.pdf].
Original data reformatted into file [USBR_MesillaDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

DEL RIO DRAIN

File:	DelRioDrain.xls
Location:	Latitude N32 06 876 Deg. Min.; Longitude W106 39 942 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1980 (monthly). Use USBR data for 1981 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 9/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 4/16/1996). 1930 thru 1985 monthly data only - no daily data.
Comments:	Original data in file [DELRIODF.xls].
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls]. Additional paper data from USBR for 1981 thru 1992.
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf] and into file [Del Rio Drain.pdf]. Original data entered and/or reformatted into file [USBR_DelRioDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file [EBIDWS_DelRioDrain.xls]. Original EBID data was combined and reformatted into file [EBID_DelRioDrain.xls].
EP#1 Data:	
Data Source:	NR

WASTEWAY #19 (THREE SAINTS LATERAL)

File: Wasteway19_ThreeSaintsLateral.xls

Location: Latitude N32 05 395 Deg. Min.; Longitude W106 39 277 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1982 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1982 thru 4/23/1996).
1982 thru 1985 monthly values only - no daily data.
Comments: Original data in file [SW_19F.xls]

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1982 thru 1993.
Comments: Original paper data scanned into file
[ww#19 three saints main Lateral.pdf].
Original data entered into file
[USBR_Wasteway19_ThreeSaintsLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway19_ThreeSaintsLateral.xls].

EP#1 Data:
Data Source: NR

WASTEWAY #30 (CHAMBERINO EAST LATERAL)

File: Wasteway30_ChamberinoEastLateral.xls

Location: Latitude N32 03 912 Deg. Min.; Longitude W106 39 831 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1985 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1986 thru 4/21/1996).
Comments: Original data in file [SW_30F.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file [ww#30 Chamberino east lateral.pdf].
Original data entered into file [USBR_Wasteway30_ChamberinoEastLateral.xls].

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 5/25/2001 thru 9/2003 was downloaded into file [EBIDWS_Spillway30_ChamberinoEastLateral.xls].
Comments: Original EBID data was combined and reformatted into file [EBID_Spillway30_ChamberinoEastLateral.xls].

EP#1 Data:
Data Source: NR

CHAMBERINO DRAIN

File: ChamberinoDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1930 thru 1983 (monthly only).

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 1983).
1930 thru 1983 monthly data only - no daily data.

Comments: Original data in file [CHAMBERF.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1930
thru 1983 (monthly values only), with
electronic data in files [1930.xls] thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf]
thru [drainage data 1983.pdf].
Original data reformatted into file [USBR_ChamberinoDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

LA MESA DRAIN

File:	LaMesaDrain.xls
Location:	Latitude N32 02 584 Deg. Min.; Longitude W106 39 772 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1980 (monthly only). Use USBR data for 1981 thru 1992. Use EBID data for 1993 thru 1999, and 2001 thru 9/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 4/23/1996). 1930 thru 1985 monthly data only - no daily data.
Comments:	Original data in file [LAMESAF.xls]
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls]. Additional paper data from USBR for 1981 thru 1992.
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf] and into file [La Mesa Drain.pdf]. Original data entered and/or reformatted into file [USBR_LaMesaDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1993 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments:	Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file [EBIDWS_LaMesaDrain.xls]. Original EBID data was combined and reformatted into file [EBID_LaMesaDrain.xls].
EP#1 Data:	
Data Source:	NR

WASTEWAY #31 (LA UNION MAIN CANAL)

File: Wasteway31_LaUnionMainCanal.xls

Location: Latitude N32 02 231 Deg. Min.; Longitude W106 39 784 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1981 thru 1992.
Use EBID data for 1993 thru 1999, and 2001 thru 6/2003.

Parson's Data:
Data Source: From CD with Parson's Data (1981 thru 4/6/1996).
1981 thru 1985 monthly data only - no daily data.
Comment: Original data in file [SW_31F.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1981 thru 1992.
Comments: Original paper data scanned into file [ww#31 La Union main.pdf].
Original data entered into file
[USBR_Wasteway31_LaUnionMain.xls]

EBID Data:
Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Spillway31_LaUnionMainCanal.xls].

EP#1 Data:
Data Source: NR

WASTEWAY #20 (THREE SAINTS WEST LATERAL)

File: Wasteway20_ThreeSaintsWestLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1979 thru 1981, and 1985 thru 1988.

Parson's Data:

Data Source: Data from CD with Parson's Data (1979 thru 1987).
1979 thru 1981 monthly data only - no daily data.

Comments: Original data in file [SW_20F.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1979 thru 1981, and 1985 thru 1988.

Comments: Original paper data scanned into file
[ww#20 three saints west lateral.pdf].
Original data entered into file
[USBR_Wasteway20_ThreeSaintsWestLateral.xls].
Station discontinued end of 1988.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #21 (THREE SAINTS WEST LATERAL)

File: Wasteway21_ThreeSaintsWestLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1992.
Use EP#1 data for 1997 thru 9/2/2002.
Use EBID data for 9/3/2002 thru 6/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1991).
Comments: Original data in file [SW_21F.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file
[WW#21 Three Saints West Lateral.pdf].
Original data entered into file
[USBR_Wasteway21_ThreeSaintsWestLateral.xls].

EBID Data:

Data Source: Electronic data from EBID for 1993 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2002 thru 6/2003 was received in files
[2002 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Wasteway21_ThreeSaintsWestLateral.xls].

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 9/2/2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway21_ThreeSaintsWestLateral.xls].
Data collection turned over to EBID 9/3/2002.

WASTEWAY #31B (JIMINEZ LATERAL)

File: Wasteway31B_JiminezLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1988.
Use EBID data for 2002 thru 6/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1988).
Comments: Original data in file [SW_31BF.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1988.
Original paper data scanned into file
[ww#31b Jiminez Lateral.pdf].
Comments: Original data entered into file
[USBR_Wasteway31B_JiminezLateral.xls].
Station discontinued end of 1988.

EBID Data:

Data Source: Electronic data from EBID for 2002 thru 6/2003 was received in files
[2002 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 1/1/2002 thru 5/2003 was downloaded
into file [EBIDWS_31BJiminezLateral.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_Wasteway31B_JiminezLateral.xls].

EP#1 Data:

Data Source: NR

WASTEWAY #32 (LA UNION EAST LATERAL)

File: Wasteway32_LaUnionEastLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1979 thru 1992.
Use EP#1 data for 1997 thru 2002.
Use EBID data for 1/2003 thru 6/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (1979 thru 1991):
1979 thru 1985 monthly data only - no daily data.
Comments: Original data in file [SW_32F.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1979 thru 1992.
Comments: Original paper data scanned into file [WW#32 La Union East.pdf].
Original data entered into file
[USBR_Wasteway32_LaUnionEastLateral.xls].

EBID Data:

Data Source: Electronic data from EBID for 1998 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_LaUnionEastLateral.xls].

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway32_LaUnionEastLateral.xls].

WASTEWAY #32A (ROWLEY LATERAL)

File: Wasteway32A_RowleyLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1988.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1988).
Comments: Original data in file [SW_32AF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1988.
Comments: Original paper data scanned into file [WW#32A Rowley Lateral.pdf].
Original data entered into file
[USBR_Wasteway32A_RowleyLateral.xls].
Discontinued end of 1988.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #23A (TEXAS LATERAL)

File: Wasteway23A_TexasLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1992.
Use EP#1 data for 1997 thru 2002.
Use EBID data for 1/2003 thru 6/2003.

Parson's Data:

Data Source: Data CD with Parson's Data (1986 thru 3/1996):
Comments: Original data in file [SW_23AF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file [ww#23A Texas Lateral.pdf].
Original data entered into file
[USBR_Wasteway23A_TexasLateral.xls].

EBID Data:

Data Source: Electronic data from EBID for 1997 thru 1999 was received in file
[EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files
[2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Comments: Original EBID data was combined and reformatted into file
[Wasteway23A_TexasLateral.xls].

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway23A_TexasLateral.xls].

RIO GRANDE AT ANTHONY BRIDGE

File: RioGrandeAtAnthonyBridge.xls

Location: Latitude N31 59 970 Deg. Min.; Longitude W106 38 168 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1986 thru 11/6/1989.
Use EBID data for 2001 thru 9/2003.

Parson's Data:
Data Source: Data from CD with Parson's Data (1986 thru 11/6/1989):
Comments: Original data in file [RGANTHOF.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper data from USBR for 1986 thru 11/6/1989.
Comments: Original paper data scanned into file [RG at Anthony Bridge.pdf].
Original data entered into file
[USBR_RioGrandeAtAnthonyBridge.xls].
Station discontinued 11/7/1989.

EBID Data:
Data Source: Electronic data from EBID for 2001 thru 2002 was received in files
[2001 Allotment charges.xls] thru [2002 Allotment charges.xls].
Data from EBID web site for 3/14/2001 thru 9/2003 was downloaded
into file [EBIDWS_RGatAnthony.xls].
Comments: Original EBID data was combined and reformatted into file
[EBID_RioGrandeAtAnthonyBridge.xls].

EP#1 Data:
Data Source: NR

ANTHONY DRAIN

File: AnthonyDrain.xls

Location: Latitude N31 59 651 Deg. Min.; Longitude W106 37 368 Deg. Min.

NMSU Data:
Data Source: Use USBR data for 1930 thru 1983 (monthly only).
Use EBID data for 1997 thru 1999, and 2001 thru 9/2003

Parson's Data:
Data Source: Data from CD with Parson's Data (1930 thru 1983):
1930 thru 1983 monthly data only - no daily values.
Comments: Original data in file [ANTHONYF.xls].

USGS Data:
Data Source: NR

IBWC Data:
Data Source: NR

USBR Data:
Data Source: Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].
Comments: Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf].
Original data reformatted into file [USBR_AnthonyDrain.xls].

EBID Data:
Data Source: Electronic data from EBID for 1997 thru 1999 was received in file [EBID data.xls].
Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls].
Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file EBIDWS_AnthonyDrain.xls.
Comments: Original EBID data was combined and reformatted into file [EBID_AnthonyDrain.xls].

EP#1 Data:
Data Source: NR

EAST DRAIN

File:	EastDrain.xls
Location:	Latitude N32 00 132 Deg. Min.; Longitude W106 36 548 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1980 (monthly values only), then 1981 thru 1992. Use USBR data for 1994 thru 1995 (data from IBWC) Use EBID data for 1996, and 1/2003 thru 9/2003. Use EP#1 data for 1997 thru 2002.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1/1/1930 thru 12/31/1995): 1930 thru 1986 monthly values only - no daily data.
Comments:	Original data in file [EASTF.xls].
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls]. Additional paper data from USBR for 1981 thru 1992, and 1994 thru 1995 (1994 and 1995 data from IBWC).
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf] and into file [East Drain.pdf]. Original data entered and/or reformatted into file [USBR_EastDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1994 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls]. Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file EBIDWS_EastDrain.xls.
Comments:	Original EBID data was combined and reformatted into file [EBID_EastDrain.xls].
EP#1 Data:	
Data Source:	Electronic data from EP#1 for 1997 thru 2002, received in files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments:	Original data reformatted into file [EP#1_EastDrain.xls]

RIO GRANDE AT VINTON BRIDGE

File: RioGrandeAtVintonBridge.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1990.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1/3/1991):

Comments: Original data in file [RGVINTOF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1990.

Comments: Original paper data scanned into file [RG at Vinton Bridge.pdf].

Original data entered into file [USBR_RioGrandeAtVintonBridge.xls].

Discontinued 1/4/1991.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #32B (VINTON CUT-OFF LATERAL)

File: Wasteway32B_VintonCutOffLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1992.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1991):
Comments: Original data in file [SW_32BF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file
[WW#32B Vinton Cutoff Lateral.pdf].
Original data entered into file
[USBR_Wasteway32B_VintonCutOffLateral.xls].

EBID Data:

Data Source: Electronic data from EBID for 1997 thru 1998 was received in file
[EBID data.xls].
Comments: Original data reformatted into file
[EBID_Wasteway32B_VintonCutOffLateral.xls].

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway32B_VintonCutOffLateral.xls].

RIO GRANDE AT CANUTILLO BRIDGE

File: RioGrandeAtCanutilloBridge.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1992, and 1994 thru 1995.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 3/1996):
Comments: Original data in file [RGCANUTF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1992, and 1994 thru 1995.
Comments: Original paper data scanned into file [RG at Canutillo Bridge.pdf].
Original data entered into file
[USBR_RioGrandeAtCanutilloBridge.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].

Comments: Original data reformatted into file
[EP#1_RioGrandeAtCanutilloBridge.xls].

CANUTILLO LATERAL

File: CanutilloLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1979 thru 1982.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1979 thru 1982.

Comments: Original paper data scanned into file [Canutillo Lateral.pdf].
Original data entered into file [USBR_CanutilloLateral.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #34 (CANUTILLO LATERAL)

File: Wasteway34_CanutilloLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1983, and 1985 thru 1992.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1991):
Comments: Original data in file [SW_34F.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1983 and 1985 thru 1992.
Comments: Original paper data scanned into file [ww#34 Canutillo lateral.pdf].
Original data entered into file
[USBR_Wasteway34_CanutilloLateral.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].

Comments: Original data reformatted into file
[EP#1_Wasteway34_CanutilloLateral.xls].

WASTEWAY #34A (PENCE LATERAL)

File: Wasteway34A_PenceLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1988.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1987).
Comments: Original data in file [SW_34AF.xls]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1988.
Comments: Original paper data scanned into file [ww#34A Pence Lateral.pdf].
Original data entered into file
[USBR_Wasteway34A_PenceLateral.xls].
Station discontinued end of 1988 (7/1/1988 Recorder was stolen,
due to be discontinued end of season anyway.)

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #35 (WESTSIDE)

File: Wasteway35_Westside.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1980 thru 1992.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1980 thru 3/26/1996):
1980 thru 1985 monthly data only - no daily data.
Comments: Original data in file [SW_35F.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Same as Wasteway 35 Combined La Union Canal.
Data Source: Paper data from USBR for 1980 thru 1992.
Comments: Original paper data scanned into file
[WW#35 Westside Canal.pdf].
Original data entered into file
[USBR_Wasteway35_WestsideCanal.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway35_WestsideCanal.xls]

WASTEWAY #35C (SCHUTZ LATERAL)

File: Wasteway35C_SchutzLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1988.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1988).

Comments: Original data in file [SW_35CF.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1988.

Comments: Original paper data scanned into file [ww#35C Schutz lateral.pdf].

Original data entered into file

[USBR_Wasteway35C_SchutzLateral.xls].

Station discontinued end of 1988.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

WASTEWAY #36 (MONTOYA LATERAL A)

File: Wasteway36_MontoyaLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1992.
Use Parson's data for 1/1996 thru 3/1996.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 3/31/1996).
Comments: Original data in file [SW_36F.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file
[ww#36 Montoya Lateral A.pdf].
Original data entered into file
[USBR_Wasteway36_MontoyaLateral.xls].
Partial data for Jan and Feb, 1986; recorder missing for a few days.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway36_MontoyaLateral.xls].

NEMEXAS DRAIN

File:	NemexasDrain.xls
Location:	Latitude N31 56 979 Deg. Min.; Longitude W106 37 994 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1983. (Monthly values only) Use Parson's data for 1984 thru 2/1985. (Monthly values only) Use EBID data for 1997 thru 1999, and 2001 thru 9/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 1985): Monthly data only - no daily data.
Comments:	Original data in file [NMEXASF.xls].
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf]. Original data reformatted into file [USBR_NemexasDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1997 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls]. Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file [EBIDWS_NemexasDrain.xls].
Comments:	Original EBID data was combined and reformatted into file [EBID_NemexasDrain.xls].
EP#1 Data:	
Data Source:	NR

WEST DRAIN

File:	WestDrain.xls
Location:	Latitude N31 51 203 Deg. Min.; Longitude W106 37 329 Deg. Min.
NMSU Data:	
Data Source:	Use USBR data for 1930 thru 1983. (Monthly values only). Use Parson's data for 1984 thru 2/1985. (Monthly values only) Use EBID data for 1997 thru 1999, and 2001 thru 9/2003.
Parson's Data:	
Data Source:	Data from CD with Parson's Data (1930 thru 2/1985): Monthly data only - no daily data.
Comments:	Original data in file [WESTF.xls].
USGS Data:	
Data Source:	NR
IBWC Data:	
Data Source:	NR
USBR Data:	
Data Source:	Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].
Comments:	Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf]. Original data reformatted into file [USBR_WestDrain.xls].
EBID Data:	
Data Source:	Electronic data from EBID for 1997 thru 1999 was received in file [EBID data.xls]. Electronic data from EBID for 2001 thru 6/2003 was received in files [2001 Allotment charges.xls] thru [2003 Allotment charges.xls]. Data from EBID web site for 3/16/2001 thru 9/2003 was downloaded into file EBIDWS_WestDrain.xls.
Comments:	Original EBID data was combined and reformatted into file [EBID_WestDrain.xls].
EP#1 Data:	
Data Source:	NR

WASTEWAY #38 (MONTOYA LATERAL)

File: Wasteway38_MontoyaLateral.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1992.
Use Parson's data for 1/1996 thru 3/1996.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 3/31/1996).
Comments: Original data in file [SW_38F.xls].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file
[ww#38 Montoya Main Lateral.pdf].
Original data entered into file
[USBR_Wasteway38_MontoyaLateral.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Took over data collection from USBR in 1996.
Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Original data reformatted into file
[EP#1_Wasteway38_MontoyaLateral.xls]

MONTOYA INTERCEPTING DRAIN

File: MontoyaInterceptingDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1985 thru 1990.

Parson's Data:

Data Source: Data from CD with Parson's Data (1986 thru 1990).

Comment: Original data in file [MONTINTF.XLS].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1990.

Comments: Original paper data scanned into file [Montoya Interceptor.pdf].

Original data in file [USBR_MontoyaInterceptorDrain.xls]

Station discontinued 1/1991.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

MONTOYA DRAIN

File: MontoyaDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1930 thru 1995.
Use Parson's data for 1/1996 thru 3/1996.
Use EP#1 data for 1997 thru 2002.
Comments: Data from 1930 thru 1980 is monthly values only.

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 3/26/1996).
Data from 1930 thru 1985 is monthly values only.
Comments: Original data in file [MONTROYAF.XLS]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].
Additional paper data from USBR for 1981 thru 1995.
Comments: Original paper data scanned into file [Montoya Drain.pdf] for 1981 thru 1995, and files [drainage data 1930.pdf] thru [drainage data 1983.pdf] for those years.
Original data entered and/or reformatted into file [USBR_MontoyaDrain.xls].
Values include Nemexas and West Drain.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data in file [EP#1_MontoyaDrain.xls].

EL PASO RIVER REACH

RIO GRANDE AT EL PASO

File: RioGrandeAtElPaso.xls

Location:

NMSU Data:

Data Source: Use IBWC data from 1901 thru 3/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (1901 thru 1995).
Original data in file [RGELPASF.XLS]

USGS Data:

Data Source: Electronic data from USGS for 1901 thru 10/1996,
ftp'd from their web site into file [08364000.mean].
Comment: USGS gets the data from IBWC and publishes it.
Original data reformatted into file [USGS_RGatElPaso.xls].

IBWC Data:

Data Source: Daily data from IBWC web site (08-3640.00) in cms. (1901 thru 3/2003)
12/1915 no data.
Downloaded into file [IBWC_RGatElPaso.xls] and converted to cfs.
Comments: Data for 2001 through 2003 are PROVISIONAL AND SUBJECT
TO REVISION.

USBR Data:

Data Source: Paper data from USBR for 1985 thru 1992.
Comments: Original paper data scanned into file [RG at El Paso.pdf].
Original data entered into file [USBR_RioGrandeAtElPaso.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

RIO GRANDE BELOW AMERICAN DAM

File: RioGrandeBelowAmericanDam.xls

Location:

NMSU Data:

Data Source: Use IBWC data for 6/1938 thru 5/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (6/1938 thru 1995):
Original data in file [RGBAMERF.XLS]

USGS Data:

Data Source: NR

IBWC Data:

Data Source: Daily data from IBWC web site (08-3650.00) in cms.
(6/1938 thru 5/31/2003)
Downloaded into file [IBWC_RGBBelowAmericanDam.xls] and
converted to cfs.

Comments: Data for 2001 through 2003 are PROVISIONAL AND SUBJECT
TO REVISION.

USBR Data:

Data Source: NR

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

AMERICAN CANAL

File: AmericanCanal.xls

Location:

NMSU Data:

Data Source: Use IBWC data for 6/1938 thru 5/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (6/2/1938 thru 1995).
Original data in [AMERCANF.XLS].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: Daily data from IBWC web site (08-3645.00) in cms.
(6/1/1938 thru 5/31/2003).
Downloaded into file [IBWC_AmericanCanal.xls] and
converted to cfs.

Comments: Data for 2001 through 2003 are PROVISIONAL AND SUBJECT
TO REVISION.

USBR Data:

Data Source: NR

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

ACEQUIA MADRE

File: AcequiaMadre.xls

Location:

NMSU Data:

Data Source: Use IBWC data from 6/1938 thru 5/2003.

Parson's Data:

Data Source: Data from CD with Parson's Data (6/1938 thru 1995).
Original data in file [ACEQIAF.XLS].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: Daily data from IBWC web site (08-3655.00) in cms.
(6/1/1938 thru 5/31/2003).

10/1/1986 thru 10/8/1986 no data;

Downloaded into file [IBWC_AcequiaMadre.xls] and
converted to cfs.

Comments: Data for 2001 through 2003 are PROVISIONAL AND SUBJECT
TO REVISION.

USBR Data:

Data Source: NR

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

FRANKLIN CANAL

File: FranklinCanal.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1914 thru 1916, and 1918 thru 1994.
Use Parson's data for 1/1996 thru 3/1996.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 4/2/1996).
Original data in file [FRANKF.XLS].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1914 thru 1916; and 1918 thru 1984, with electronic data in files [1914.xls] thru [1984.xls].
Additional paper data from USBR for 1985 thru 1994.

Comments: Original paper data scanned into file [Franklin Canal.pdf].
Original data entered and/or reformatted into file [USBR_FranklinCanal.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydrlv97.xls] thru [Hydrlv2002.xls].

Comments: Original data reformatted into file [EP#1_FranklinCanal.xls].

FRANKLIN DRAIN

File: FranklinDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data from 1930 thru 1983.

Comments: Monthly data values only.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1930 thru 1983 (monthly data values only), with electronic data in files [1930.xls] thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf].
Original data reformatted into file [USBR_FranklinDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

ASCARATE WASTEWAY

File: AscarateWW.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1955 thru 1994.
Use Parson's data for 1995 thru 3/1996.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: Data from CD with Parson's Data (1955 thru 4/2/1996):
Original data in file [ASCARATF.XLS].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1955 thru 1984, with
electronic data in files [1955.xls] thru [1984.xls].
Additional paper data from USBR for 1985 thru 1994.
Comments: Original paper data scanned into file [Ascarate Wasteway.pdf].
Original data entered and/or reformatted into file
[USBR_AscarateWasteway.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002 (no data for 1999-2000),
received in files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file [EP#1_AscarateWasteway.xls].

RIO GRANDE AT COFFER DAM (RIVERSIDE DAM)

File: RioGrandeAtCofferDam.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1988 thru 1993.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies from USBR for 1988 thru 1993.
Comments: Original data scanned into file [RG at Coffer Dam.pdf].
Original data entered into file [USBR_RioGrandeAtCofferDam.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data entered into file [EP#1_RioGrandeAtCofferDam.xls].

RIVERSIDE CANAL

File: RiversideCanal.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1928 thru 1995.
Use EP#1 data for 1997 thru 2002.
Use Parsons data for 1/1996 thru 3/1996.

Parson's Data:

Data Source: Data from CD with Parson's Data (1930 thru 3/31/1996).
Original data in file [RIVERSDF.XLS].

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1928 thru 1984, with
electronic data in files [1928.xls] thru [1984.xls].
Additional paper copies from USBR for 1985 thru 1995.
Comments: Original paper data scanned into file [Riverside Canal.pdf].
Original data entered and/or reformatted into file
[USBR_RiversideCanal.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in
files [Hydruv97.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file [EP#1_RiversideCanal.xls]

WASTEWAY #1 (RIVERSIDE CANAL)

File: Wasteway1_RiversideCanal.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1981 thru 1984.
Use EP#1 data for 1998 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies from USBR for 1981 thru 1984.
Comments: Original data scanned into file [WW#1 Riverside.pdf].
Original data entered into file
[USBR_Wasteway1_RiversideCanal.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1998 thru 2002, received in
files [Hydruv98.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway1_RiversideCanal.xls].

WASTEWAY #2 (RIVERSIDE CANAL)

File: Wasteway2_RiversideCanal.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1981 thru 1984.
Use EP#1 data for 1998 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies from USBR for 1981 thru 1984.
Comments: Original data scanned into file [WW#2 Riverside.pdf].
Original data entered into file
[USBR_Wasteway2_RiversideCanal.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1998 thru 2002, received in
files [Hydruv98.xls] thru [Hydruv2002.xls].
Comments: Original data reformatted into file
[EP#1_Wasteway2_RiversideCanal.xls].

RIVER DRAIN

File: RiverDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data from 1930 thru 1983 (monthly).

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Electronic and paper data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

FABENS WASTE CHANNEL

File: FabensWasteChannel.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1939 thru 1992.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Electronic and paper data from USBR for years 1939 thru 1983, with electronic data in files [1939.xls] thru [1983.xls].
Additional paper copies from USBR for 1984 thru 1992.

Comments: Original paper data scanned into file [Fabens Waste Channel.pdf].
Original paper data entered and/or reformatted into file [USBR_FabensWasteChannel.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydrlv97.xls] thru [Hydrlv2002.xls].

Comments: Original data reformatted into file [EP#1_FabensWasteChannel.xls].

FABENS DRAIN

File: FabensDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data from 1930 thru 1983.

Comments: Monthly data only.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Electronic and paper data from USBR for 1930 thru 1983 (monthly values only), with electronic data in files [1930.xls] thru [1983.xls].

Comments: Original paper data scanned into files [drainage data 1930.pdf] thru [drainage data 1983.pdf].
Original data reformatted into file [USBR_FabensDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

FABENS WASTE DRAIN

File: FabensWasteDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data from 1984 thru 1991.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Also called River Waste Drain.
Data Source: Paper data from USBR from 1984 thru 1991.
Comments: Original paper data scanned into file [River Waste Drain.pdf].
Original data entered into file [USBR_FabensWasteDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydr1v97.xls] thru [Hydr1v2002.xls].
Comments: Original data entered into file [EP#1_FabensWasteDrain.xls].

TORNILLO CANAL (AT HEADING)

File: TornilloCanal.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1924 thru 1983, and 1996.
Use EP#1 data for 1997 thru 1999.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1924 thru 1983, with electronic data in files [1924.xls] thru [1983.xls].
Additional paper copies from USBR for 1996 thru 1997
(Data from EP#1).

Comments: Original paper data scanned into file [Tornillo Canal.pdf].
Original data entered and/or reformatted into file
[USBR_TornilloCanal.xls].
Discontinued 9/6/1983.

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 1999, received in files [Hydrlv97.xls] thru [Hydrlv99.xls].

Comments: Original data reformatted into file [EP#1_TornilloCanal.xls].

WASTEWAY # 1 (TORNILLO CANAL)

File: Wasteway1_TornilloCanal.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1981 thru 1986.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies from USBR for 1981 thru 1986.

Comments: Original data scanned into file [WW#1 Tornillo Canal.pdf].
Original data entered into file
[USBR_Wasteway1_TornilloCanal.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR

TORNILLO CANAL AT ALAMO ALTO (WW #2)

File: TornilloCanal_AlamoAlto.xls

Location:

NMSU Data:

Data Source: Use USBR data for 1925 thru 1994.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 1925 thru 1983, with electronic data in files [1947.xls] thru [1983.xls].
Additional paper copies from USBR for 1984 thru 1994.

Comments: Original paper data scanned into file [Tornillo Canal at Alamo Alto.pdf].
Original paper data entered and/or reformatted into file [USBR_TornilloCanalAtAlamoAlto.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydrlv97.xls] thru [Hydrlv2002.xls].

Comments: Original data reformatted into file [EP#1_TornilloWW2AtAlamoAlto.xls]

TORNILLO DRAIN

File: TornilloDrain.xls

Location:

NMSU Data:

Data Source: Use USBR data for 3/1/1947 thru 1994.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 3/1/1947 thru 1983, with electronic data in files [1947.xls] thru [1983.xls].
Additional paper data from USBR for 1984 thru 1994.

Comments: Original paper data scanned into file [Tornillo Drain.pdf].
Original data entered and/or reformatted into file [USBR_TornilloDrain.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydrlv97.xls] thru [Hydrlv2002.xls].

Comments: Original data reformatted into file [EP#1_TornilloDrain.xls].

HUDSPETH FEEDER CANAL

File: HudspethFeederCanal.xls

Location:

NMSU Data:

Data Source: Use USBR data for 5/23/1947 thru 1994.
Use EP#1 data for 1997 thru 2002.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: NR

USBR Data:

Data Source: Paper copies and electronic data from USBR for 5/23/1947 thru 1983, with electronic data in files [1947.xls] thru [1983.xls].
Additional paper copies from USBR for 1984 thru 1994.
Comments: Original paper data scanned into file [Hudspeth Feeder Canal.pdf].
Original data entered and/or reformatted into file [USBR_HudspethFeederCanal.xls].

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: Electronic data from EP#1 for 1997 thru 2002, received in files [Hydrlv97.xls] thru [Hydrlv2002.xls].
Comments: Original data reformatted into file [EP#1_HudspethFeederCanal.xls].

RIO GRANDE AT FORT QUITMAN

File: RioGrandeAtFtQuitman.xls

Location:

NMSU Data:

Data Source: Use IBWC data for 1923 thru 5/2003.

Parson's Data:

Data Source: NR

USGS Data:

Data Source: NR

IBWC Data:

Data Source: Daily data from IBWC web site (08-3705.00) in cms.
(1923 thru 5/31/2003).
Downloaded into file [IBWC_RGatFortQuitman.xls] and converted to
cfs.

Comments: Data for 2001 through 2003 are PROVISIONAL AND SUBJECT
TO REVISION.

USBR Data:

Data Source: NR

EBID Data:

Data Source: NR

EP#1 Data:

Data Source: NR